Verification of lock types EL402 and EL502 according to EN 12209:2004

Requested by: Abloy Oy, Finland



1



Requested by

Abloy Oy, Esa Parjanen

P.O. Box 108

80101 Joensuu, Finland

Contact person at VTT

VTT Technical Research Centre of Finland

Research Engineer Aki Neuvonen

P.O. Box 1000, FIN-02044 VTT, Finland Tel. +358 20 722 6910, Fax + 358 20 722 7003

E-mail: aki.neuvonen@vtt.fi

Object

Verification of lock types EL402 and EL502 according to EN 12209:2004

VTT has tested lock types EL402 and EL502 according to EN 12209:2004. The test results are reported in test report VTT-S-03749-08 *Testing of lock types EL402, EL404 and EL502 according to EN 12209:2004.*

The lock types EL402 and EL502 achieved the following grades according to the requirements set in EN 12209:

- 1. Category of use: Grade 3 (high chance of misuse)
- 2. Durability: C (200 000 test cycles, no load on latch bolt)
- 3. Door mass: Grade 8 (max 200 kg, 15 N closing force)
- 5. Safety: -
- 6. Corrosion resistance and temperature: F (high + temperature requirement)
- 7. Security: Grade 3 (medium security, no drill resistance)
- 8. Field of door application: B
- 9. Type of key operation and locking: B
- 10. Type of spindle operation: 0
- 11. Key identification requirement: 0.

The durability tests were carried out to the samples from lock type EL402. According to the manufacturer the lock types EL402 and EL502 have same mechanical characteristics, and they are identified in construction confirmation enclosed in Appendix.

Espoo, 22.4.2008

Eero Punakallio Service Manager Aki Neuvonen Research Engineer

APPENDIX DISTRIBUTION

Construction Confirmation Client and VTT

Original.



CONSTRUCTION CONFIRMATION

Manufacturer: Abloy Oy

Address: Wahlforssinkatu 20, 80100 JOENSUU, FINLAND

Hereby declare that the products use same mechanical construction in locking module. Differences are in cylinder module.

EL402

EL404

EL502

Joensuu 18.04.2008

On behalf of Abloy Oy

Jari Kervinen

Product Design Manager

Electromechanical Lock Cases

Abloy Oy

Construction confirmation for lock types EL402, EL404 and EL502.